


KIT per tendicatena / KIT for chain tensioners
Rotella in polietilene -Tipo: RJ / Polyethylene wheel set - Type: RJ



MATERIALI Rotella in polietilene ad alta densità molecolare. Bussola e bulloneria in acciaio.

IMPIEGO La rotella folle sulla bussola combina il movimento di rotazione della rotella con quello di scivolamento dei rulli della catena sul profilo liscio garantendo comunque un continuo diverso punto di contatto fra i rulli della catena ed il profilo della rotella.

Velocità di lavoro $\leq 30\text{m/min}$.

Temperatura di lavoro della rotella $\leq 70^\circ\text{C}$.

MATERIALS Polyethylene wheel, high molecular density. Bush, screws and nuts in steel.

USE The idle wheel on the bush combines the motion of rotation of the wheel with the sliding of the rollers of the chain on the smooth profile while still providing a continuous different point of contact between the rollers of the chain and the profile of the wheel.

Operating speed $\leq 30\text{m/min}$.

Wheel set operating temperature $\leq 70^\circ\text{C}$.



Tipo Type	S Cod. N°	D Cod. N°	T Cod. N°	Catena Chain	Taglia Size	A	B	C	D	I	M	W	Peso Weight in kg		
													S.	D.	T.
RJ 10-0	JE010310	JE010326		8 mm	10	40	40		70	19.5	M10	2.5	0.13	0.14	
RJ 10-1	JE010311	JE010327		3/8" x 7/32"	10	40	40		70	19.5	M10	5	0.13	0.14	
RJ 20-1			JE010340	3/8" x 7/32"	20			56	70		M10	5			0.20
RJ 20-2	JE010313	JE010329		1/2" x 5/16"	20	40	56		70	26.5	M10	7	0.14	0.19	
RJ 30-2	JE010313	JE010329	JE010342	1/2" x 5/16"	30	40	56	56	70	26.5	M10	7	0.14	0.19	0.22
RJ 30-3	JE010315	JE010331		5/8" x 3/8"	30	40	56		90	26.5	M10	9	0.18	0.27	
RJ 30-4	JE010317	JE010333		3/4" x 7/16"	30	40	56		90	26.5	M10	11	0.18	0.28	
RJ 40-4	JE010317	JE010333		3/4" x 7/16"	40	40	56		90	26.5	M10	11	0.21	0.33	
RJ 40-5	JE010320			1" x 17.02	40	42			110		M12	16	0.28		